




Z Wes & Pam Immerman

ONLINE Milking Herd Dispersal

8-4-21 | www.kreegerdairy.com | Goshen, IN

Z Wes & Pam Immerman

ONLINE Milking Herd Dispersal

Wednesday 8-4-2021

12-1 PM ET

Bid Online or On The Phone

www.kreegerdairy.com

Load Out 8-5-21 at 26449 CR 36 Goshen, IN

Unless other arrangements are made prior to the sale

There will be a link to click on the auction page to enter the sale site to View The Videos and Information for Each Lot, Register for The Sale, Bid, & or Watch. The Sale opens for bidding at 12PM and begins closing at 1PM, but the site is available to view the videos and information ahead of the sale.

Sale Coordinator

Brian Landis 574-536-5026

Sale Team

Chad Kreeger 517-294-3484

Paul Warner 517-231-8427

Clay Papoi 517-526-1917

Shaun Hyde 989-287-2660

Gabe Papoi 989-444-8275

Dave Whelen 517-403-7219

Dave Bennett 989-286-7244

Please contact any member of the sale team to place bids on the phone or with questions on the cattle or the sale process.

Terms: Full Payment before or at loading

No Buyers Premium | Trucking Available

Sale Managed By


Kreeger
and Associates, LLC

Box 42 Cass City, MI 48726
Chad Kreeger 517-294-3484

Owner

**Z Wes & Pam
Immerman**

26449 CR 36 Goshen, IN
574-536-2544



Parallel Parlor | Freestalls | Headlock Trained | Flush

**Vaccinations: | 30 DIM – Express FP10 | Preg Check – Citadel L5
& Salmonella | Preg Conf – Vision 7/Clost | Dry Off—Guardian,
Inforce, & ORBENIN | Heifers on a Complete Program
Herd Veterinarian: DVMS Dr. Ross Springer**

**The Cows are all Johnes Vaccinated– This causes a bump on
there Brisket– The Cows with large ones are noted as “Brisket”
They are perfectly healthy, Just have a large bump on there
brisket from the vaccine.**



Internet Description Score (IDS)

This is just one persons opinion to help describe each cow. The higher the number the better she is, with 3 being an average good looking & working functional cow.

(A) Appearance

Range 1-5 with 3 as an Average Good Cow

(U) Udder

Range 1-5 with 3 as an Average Good Udder

(F) Feet

Range 1-5 with 3 as an Average Good Feet

(L) Legs

Range 1-5 with 3 as an Average Good Legs

(S) Stature

Range 1-5 with 3 as an Average Size Cow

(B) Body Condition

Range: 1 (Thin)-5 (Fat)

Other Codes

- (LF) Left Front
- (RF) Right Front
- (LR) Left Rear
- (RR) Right Rear
- (LLR) Light Left Rear Quarter
- (LRR) Light Right Rear Quarter
- (LLF) Light Left Front Quarter
- (LRF) Light Right Front Quarter
- (3 QU) 3 Quarter Cow
- (WFT) Wide Front Teats
- (WRT) Wide Rear Teats
- (IMB) Imbalanced Udder
- (HPN) High Pins
- (LPN) Low Pins
- (NFT) Needs Foot Trimming
- (SL) Slight
- (LAM) Lameness
- (LMP) Limp

Star System

5 STAR This is based on there (IDS) and there production and reproduction information. A Five Star best combines it all LOOKS and INFORMATION!

4 STAR— Almost a 5, but not quite!



Cattle in this lot are genomic tested , The NM\$ is genomic



Protocol used that was designed by the herd veterinarian



Cattle in this lot are NOT genomic tested , The NM\$ is Parent Average



Heifers off the dairy of there birth.



Cattle Selling in this lot are AI Bred



Grower heifers that have been raised from baby calves



Cattle Selling in this lot are AI Sired



Grower heifers that have a history of buyer success

Terms & Conditions

Bidding & Sale Process: The Sale will be conducted in an internet auction format. You can bid online or any member of the sale team can bid for you or have you on the phone the phone during the sale. The Sale begins closing at 12:00 PM, Each Minute one lot closes in lot order. The system does have a bid extension and the lot will close when one minute passes without any increased bids on that lot. The sale will continue to close in order, even if there is overtime bidding on one or multiple lots . When the lot closes the high bid will be the buyer

All Lots sell with 100% Buyer satisfaction

If the buyer does not like the cattle after viewing them prior to loading at the sellers farm, they do not have to take ownership of them, however once they are loaded and leave the sellers farm they are sold on an "As Is" basis with no warranty, expressed or implied and are the property of the buyer. For lots listed as "Sort At Loading"— we will sort any off that need to be, therefore the head count may vary. Lots will sell by the head multiplied by the number of head in each specific lot for the total lot price. If other selling terms are used on a lot it will be listed on that lot description, Example: Selling by the pound multiplied by the total weight of the lot weighed on the truck.

Payment Terms

All cattle must be paid for in full before they are loaded.

Payment must be made in good check or wire transfer to Kreeger and Associates, LLC. The buyer will be invoiced for the full amount. Kreeger and Associates will hold the funds until the cattle are loaded. If any difference after loading the balance will be refunded. All bids are in US funds.

Trucking Details: Kreeger and Associates, LLC will assist with load outs and handle arrangements for the trucks.

Health Warranty: Proper health certificates will be provided when required any additional testing cost will be the responsibility of the buyer. The results of any future health test is not guaranteed. No iswarranted to be free of Johnes or any other infectious disease. For animals that travel outside of the state of origin the buyer will be responsible for the legal importation of cattle into that state, please check prior to the sale.

Errors: The material printed in this catalog has been carefully edited. If any errors or omissions are discovered, they will be posted a www.kreegerdairy.com and changed in the auction system. Such announcements take precedence over printed material. This information is provided by the owners and DHIA Records and is believed to be correct, however, it is not guaranteed. This sale will be controlled by an auction program. Kreeger and Associates, LLC is not responsible for malfunction or system errors which cause a bid or bidder to fail to be recognized or registered. Some of the animals shown in a lot video may have been moved to a different lot allowing for truck load capacity and reproductive status.

General: It is the intention of the owners and the sale management to represent and present these animals in their present condition, however No adjustments will be made after the animal's) leave the sellers farm. Females announced as pregnant were found to be pregnant by a licensed veterinarian. No guarantee is made or implied that the pregnancy will go full term. Cattle that are sold with a natural service date are as accurate as possible, although they are not guaranteed to be exact.

Disclaimer: Any person bidding on items in the auction agrees to these terms and conditions and understands that, by bidding, they are entering into a legal binding contract between themselves and the seller(s) and that they will be held financially responsible for their actions. This includes those people representing parties not present at the sale. Neither the owners, auctioneers, sale manager nor other affiliated personnel may be held responsible for any accidents that may occur. Kreeger and Associates, LLC acts only as an agent between buyer and seller and may not be held responsible for any livestock or merchandise. It is to be clearly understood that Kreeger and Associates, LLC and its representatives act only as a medium between buyer and seller, and may not be held liable, financially or otherwise, for any failure in any obligations set forth in this sale.

Lot	Fresh	Milk	Fat%	Pro%	SCC	Lact	Repro	Due	U	F	L	S	C	W	Other
1-606	BULL														BULL
1-612	BULL														BULL
3	7-22-20	24	5.3	4.1	250	3	Pregnant	10-26-21	3	3	3	4	2	13	#300?
13	12-6-20	129	2.6	2.5	28	3	Pregnant	12-8-21	4	3	3	4	3	16	
57	Dry					6	Pregnant	8-19-21	3	2	2	5	4	17	Cloudy Eye #1057
110	Dry					4	Pregnant	Due Soon	4	3	3	3	3	14	Brisket
112	1-1	123	2.9	3.0	7	3	Pregnant	1-17-22	3	3	3	3	3	13	
126	8-16-20	102	3.0	3.4	38	3	Pregnant	1-15-22	4	3	3	4	3	15	#10126
130	Dry					3	Pregnant	8-24-21	3	2	2	4	4	16	3 Quartered
131	1-21	120	3.0	2.7	46	4	Exposed		3	3	3	3	1	17	#10131
150	2-7	141	1.5	2.7	8	3	Exposed		3	2	3	3	2	14	#10150
227	DRY						Pregnant								
236	7-6	87	6.4	2.7	195	8	Exposed		2	2	3	5	2	15	
275	Dry					7	Pregnant	8-1-21	3	2	2	4	5	17	3 Quartered
283	Dry					2	Pregnant	8-28-21	4	2	2	4	4	16	
296	9-2-20	102	2.4	2.8	87	7	Pregnant	2-4-22	3	3	3	5	2	16	
401	10-15-20	75	2.8	3.1	321	6	Pregnant	10-8-21	2	3	4	3	4	14	BRISKET R
414	7-18	120	3.4	3.1	218	2	Exposed		3	3	3	4	3	16	
454	10-5-20	87	2.2	3.1	94	5	Pregnant	10-28-21	2	3	3	3	3	14	Wide Teats
457	4-16	147	3.0	2.4	15	6	Exposed		3	2	3	3	2	14	
502	3-8	132	3.1	2.6	8	5	Exposed		3	3	3	4	2	14	
513	6-10-20	93	3.5	2.9	11	4	Pregnant	10-18-21	3	3	3	3	3	14	
516	3-29	114	2.8	3.0	5	5	Exposed		4	3	3	4	2	15	
517	6-27	120	3.2	2.6	138	4	Exposed		3	3	3	4	2	14	
523	5-14	144	3.1	2.8	7	4	Exposed		3	4	4	4	4	16	
524	7-3	111	4.3	2.9	29	5	Exposed		4	3	2	4	3	15	
529	2-3	156	5.0	3.2	67	5	Pregnant	12-28-21	3	3	2	4	2	15	
538	5-7	117	1.7	2.6	24	5	Exposed		3	2	2	2	2	13	
540	6-24	126	2.4	2.7	85	5	Exposed		3	2	3	5	2	16	3 Quartered-LR
543	Dry					3	Pregnant	9-8-21	2	2	3	4	4	16	3 Quartered
545	12-28-20	69	4.2	3.2	44	4	Pregnant	12-8-21	3	3	3	4	1	13	Horns
546	6-4	90	4.0	3.2	332		Exposed		3	2	2	4	2	16	
558	Dry					4	Pregnant	9-21-21	3	2	3	3	3	14	
560	10-16-20	72	3.4	3.4	11	4	Pregnant	12-28-21	4	3	3	4	4	15	
564	9-13-20	84	2.4	3.2	660	4	Pregnant	12-13-21	3	3	2	2	3	13	
569	10-5-20	72	3.1	3.1	27	4	Pregnant	11-8-21	3	3	3	3	3	14	
570	11-28-20	114	2.6	2.9	19	4	Pregnant	12-3-21	4	3	3	4	4	16	
573	8-24-20	126	3.2	2.9	538	4	Exposed		3	2	3	3	4	15	
552	6-4	81	2.1	3.0	135		Exposed		3	2	3	4	4	14	
600	9-23-20	96	3.7	3.0	105	3	Pregnant	11-5-21	3	3	3	4	4	17	
610	12-20-20	87	3.4	2.8	176	2	Exposed		3	2	2	3	2	14	
611	12-16-20	120	2.6	3.2	2	4	Pregnant	12-1-21	3	2	3	4	5	15	
617	6-23	141	2.1	2.7	20	4	Exposed		4	3	3	3	2	13	
618	7-27					3	Exposed		2	3	3	5	2	16	R
622	4-24	108	3.7	2.6	69	4	Exposed		4	3	3	5	2	16	
626	5-8	126	2.8	2.8	306	4	Exposed		3	2	2	3	2	14	Wrap
628	10-13-20	105	3.2	3.1	13	3	Pregnant	10-18-21	4	3	3	3	1	13	
630	Dry					3	Pregnant	Due Soon	3	3	3	4	5	17	Brisket Swollen Hocks
636	3-7	120	3.2	3.1	179	4	Exposed		2	3	2	3	2	15	
646	5-2	168	2.9	2.4	8	4	Exposed		3	3	3	4	3	15	Brisket Lump Udder
659	9-12-20					3	Pregnant	2-14-22	4	3	3	4	4	15	
665	5-24	117	3.0	3.4	69		Exposed		3	3	4	3	2	13	Horns
674	9-7-20	102	3.2	3.2	263	3	Pregnant	1-17-22	3	3	3	3	2	14	LRR
679	7-25					3	Exposed		3	3	2	4	4	16	LLR
680	7-22						Exposed								

Lot	Fresh	Milk	Fat%	Pro%	SCC	Lact	Repro	Due	U	F	L	S	C	W	Other
693	Dry					3	Pregnant	9-18-21	4	3	3	4	4	15	
694	11-1-20	99	3.2	3.2	22	3	Pregnant	1-25-22	5	2	2	5	3	14	
697	5-24	99	2.3	2.8	6		Exposed		3	3	3	4	2	13	Horn
700	11-14-20	105	3.5	2.9	20	2	Pregnant	10-31-21	4	3	3	4	2	15	
701	5-12	120	3.2	2.9	21	3	Exposed		3	3	3	3	3	13	
702	12-9-20	108	3.3	2.8	22	3	Pregnant	1-7-22	5	3	4	3	4	15	
704	2-6	105	2.8	3.0	31	3	Pregnant	1-9-22	3	3	3	3	3	14	
705	10-13-20	93	2.8	3.7	12	2	Pregnant	1-2-22	4	3	3	3	3	14	Bump FR Leg
707	5-19	114	3.6	2.9	91	7	Exposed		2	3	3	4	2	14	3 Quartered-RF
708	2-14	102	3.4	3.0	6	3	Pregnant	3-16-22	3	3	3	4	2	14	
711	5-3	120	2.3	2.7	4	3	Exposed		3	3	4	3	3	14	Brisket
714	12-8-20	120	2.3	3.2	6	3	Pregnant	12-8-21	4	2	2	3	4	15	
715	2-21	102	3.2	3.2	199	3	Pregnant	3-21-22	3	3	3	3	2	14	Very-LLR
717	10-10-20	90	2.6	3.0	382	7	Pregnant	11-10-21	3	2	2	4	2	15	3 Quartered-LF
718	4-30	141	2.7	2.7	4	3	Pregnant	3-31-22	4	3	3	4	2	14	
719	5-6	153	2.9	2.8	39	3	Exposed		3	3	2	3	2	14	
724	11-29-20	105	3.2	3.1	551	3	Pregnant	10-26-21	4	3	3	3	3	14	
726	Dry					2	Pregnant	Due Soon	3	2	2	4	4	15	
728	6-30	123	4.1	2.8	4	3	Exposed		4	3	3	3	2	14	
729	6-30	129	3.3	2.7	17	3	Exposed		3	3	3	4	2	13	
730	1-20	96	2.7	2.9	12	3	Exposed		3	3	3	2	3	13	
732	5-12	153	3.1	3.1	2	3	Exposed		3	3	3	3	2	14	
736	3-20	126	2.6	2.5	10	3	Exposed		4	3	3	4	2	14	
738	3-1	102	2.4	2.9	66	3	Pregnant	2-17-22	5	3	3	3	2	13	4 STAR
739	10-30-20	90	1.9	3.3	16	2	Pregnant	11-5-21	3	2	4	3	3	14	Brisket
740	Dry					6	Pregnant	9-13-21	3	3	3	4	4	15	LRF
741	5-25						Exposed		2	2	3	3	1	14	
742	Dry					2	Pregnant	Due Soon	3	3	4	4	5	18	
748	Dry					2	Pregnant	8-19-21	4	3	3	4	4	15	
750	5-13	84	3.7	3.1	11		Pregnant	4-5-22							
753	7-20					2	Exposed		3	2	3	5	3	15	LLF
756	Dry					2	Pregnant	9-8-21	3	2	2	4	4	16	
757	Dry					3	Pregnant	8-9-21	3	2	2	4	4	15	
758	5-13	120	2.8	2.9	25		Exposed		3	2	2	4	4	16	
759	Dry					2	Pregnant	9-16-21	3	2	2	5	4	19	
761	5-30	141	2.0	2.8	134	3	Exposed		3	3	3	4	2	13	
763	Dry					2	Pregnant	9-23-21	3	3	3	4	3	15	3 Quartered
767	Dry					2	Pregnant	9-13-21	2	3	3	4	3	14	
768	6-24	144	3.7	2.7	141	6	Exposed		3	3	3	4	2	13	
770	7-17	84	3.7	3.1	11	2	Exposed		4	3	3	4	4	15	
772	1-10	81	2.6	3.1	28	2	Pregnant	12-28-21	3	3	4	4	3	15	SL-LLR
776	5-8	156	2.5	2.7	3	3	Exposed		3	3	2	4	2	14	
777	Dry					2	Pregnant	9-23-21	3	3	3	4	4	15	
779	10-15-20	102	2.9	3.1	101	2	Pregnant	10-16-21	3	4	3	3	3	15	
783	10-2-20	69	4.8	3.8	30	2	Pregnant	11-28-21	3	3	3	4	4	14	
784	Dry					2	Pregnant	8-19-21	4	3	3	3	4	15	
786	12-5-20	75	3.5	3.5	368	2	Pregnant	12-8-21	3	2	3	4	3	14	
790	7-7	114	3.8	3.1	11	2	Exposed		3	3	4	4	2	14	
791	12-27-20	90	3.8	3.1	38	2	Pregnant	12-23-21	4	3	4	3	3	14	
792	7-8	99	3.1	3.3	13	3	Exposed		3	2	3	3	2	13	
793	3-10	129	2.1	2.7	185	2	Pregnant	2-14-22	4	2	3	3	3	13	
795	Dry					2	Pregnant	9-28-21	3	3	3	4	3	15	Huge Brisket
796	1-10	117	3.0	2.8	12	2	Pregnant	1-17-22	4	3	4	3	2	14	
797	3-18	108	2.8	2.8	8	2	Exposed		4	4	4	3	2	14	
799	11-25-20	69	1.9	3.0	12	2	Pregnant	12-3-21	5	2	3	2	3	13	

Lot	Fresh	Milk	Fat%	Pro%	SCC	Lact	Repro	Due	U	F	L	S	C	W	Other
800	3-15	87	3.2	2.8	13	2	Pregnant	2-27-22	3	3	4	3	2	13	SL-LLR
803	Dry					2	Pregnant	10-3-21	4	3	3	3	4	15	Brisket
804	11-23-20	113	1.6	2.8	40	2	Pregnant	11-13-21	3	3	3	4	4	15	
807	12-16-20	93	2.7	3.1	10	2	Pregnant	11-18-21	4	3	3	3	4	14	
810	12-21-20	78	2.7	3.2	72	2	Pregnant	11-13-21	4	3	3	3	3	13	
812	2-7	96	2.5	3.0	11	2	Pregnant	2-14-22	4	3	4	4	3	13	
813	2-22	123	3.4	2.9	15	2	Exposed		4	3	3	3	2	12	
814	4-17	123	3.4	2.7	6	2	Exposed		4	3	3	3	2	14	
815	12-22-20	72	3.0	3.1	12	2	Pregnant	3-9-22	4	3	4	3	2	12	Brisket
818	3-19	90	2.9	2.9	133	2	Exposed		3	3	4	4	2	14	
820	Dry					1	Pregnant	8-11-21	3	3	3	4	5	17	Brisket
822	1-29	102	3.4	3.2	7	2	Pregnant	1-2-22	3	3	3	4	2	14	
825	5-29	117	3.1	2.7	39	2	Exposed		4	3	4	3	3	13	
826	5-5	90	3.1	3.1	12	2	Exposed		5	3	3	3	2	13	4 STAR
827	5-10	96	3.4	2.8	9	2	Exposed		3	3	3	3	2	12	Long Teats
828	4-9	126	3.3	2.8	16	2	Exposed		3	3	2	3	2	11	Swollen Hock Stub
829	Dry					1	Pregnant	9-3-21	3	3	3	4	4	16	Horns
831	Dry					1	Pregnant	9-13-21	4	3	4	3	5	16	
833	6-9	126	1.6	2.8	18	2	Exposed		5	4	4	3	3	12	5 STAR
835	Dry					1	Pregnant	9-29-21	3	2	3	4	4	15	
834	9-27-20	75	4.4	3.7	82	1	Exposed		4	3	3	3	4	14	
836	9-22-20	96	2.5	2.9	18	1	Pregnant	10-18-21	4	3	3	3	3	13	
837	5-5	105	1.8	2.7	61	2	Exposed		5	4	4	3	2	12	5 STAR
839	Dry					1	Pregnant	8-24-21	3	2	2	3	4	15	
841	4-14	123	2.8	3.0	12	2	Pregnant	3-18-22	4	3	3	3	3	15	
842	Dry					1	Pregnant	8-19-21	3	3	3	4	4	16	LLR
843	Dry					1	Pregnant	8-1-21	3	3	3	3	4	14	
844	Dry					1	Pregnant	9-13-21	3	3	3	4	5	16	3 Quartered
846	Dry					1	Pregnant	9-28-21	5	2	3	4	3	14	Stub Horns
847	10-16-20	72	3.6	3.3	106	1	Pregnant	12-3-21	3	3	3	3	3	14	LLF-IMB
848	Dry					1	Pregnant	8-21-21	3	3	3	4	4	15	Stub Horn
849	10-4-20	90	4.0	3.2	32	1	Exposed		3	5	3	4	4	14	
853	6-30	93	3.3	3.5	139	2	Exposed		4	3	3	4	2	11	
854	Dry					1	Pregnant	8-21-21	4	3	3	3	4	15	
857	Dry					1	Pregnant	10-1-21	3	2	3	3	4	13	LLF
860	Dry					1	Pregnant	9-3-21	3	2	3	3	4	13	
861	Dry					1	Pregnant	8-24-21	3	2	2	3	4	13	
863	10-2-20	90	3.0	3.2	14	1	Pregnant	10-28-21	3	2	3	3	3	14	LRR
864	7-24					2	Exposed		2	2	2	3	4	16	3 Quartered
867	Dry					1	Pregnant	9-3-21	3	3	3	3	4	14	3 Quartered
868	Dry					1	Pregnant	9-4-21	3	3	3	3	4	14	Brisket
869	7-25						Exposed		3	3	3	3	4	14	Brisket
871	Dry					1	Pregnant	8-1-21	4	3	3	3	4	15	
872	9-3-20	66	4.1	3.7	70	1	Pregnant	10-6-21	4	3	3	2	4	12	Horns
873	Dry					1	Pregnant	9-3-21	4	3	3	3	3	14	
875	Dry					1	Pregnant	9-28-21	4	3	3	3	3	12	SI-Swollen Hock
876	11-7-20	69	3.3	2.7	11	1	Pregnant	11-10-21	5	3	3	3	4	13	4 STAR
879	12-27-20	90	3.3	3.2	22	1	Pregnant	12-28-21	4	3	3	3	3	12	
880	11-16-20	120	3.5	2.9	25	1	Pregnant	11-5-21	3	2	3	4	3	14	
881	11-15-20	78	3.5	3.4	45	1	Pregnant	11-10-21	3	3	3	4	5	15	
884	5-2	69	2.9	3.1	10		Exposed		3	3	3	4	2	13	Brisket
885	Dry					1	Pregnant	8-6-21	4	3	3	3	3	13	
886	11-18-20	60	4.1	3.7	13	1	Pregnant	11-5-21	4	3	3	3	3	13	
887	Dry					1	Pregnant	9-18-21	3	4	4	3	4	13	3 Quartered-LF
888	5-2	81	3.4	3.2	231		Pregnant	4-8-22	2	2	3	3	4	12	Wart-RR SL Limp

Lot	Fresh	Milk	Fat%	Pro%	SCC	Lact	Repro	Due	U	F	L	S	C	W	Other
893	12-12-20	99	3.2	3.2	40	1	Pregnant	1-22-22	5	3	3	3	3	13	4 STAR
892	11-29-20	69	4.2	3.2	3	1	Pregnant	12/1/21							
895	11-17-20	87	3.0	3.0	10	1	Pregnant	10-21-21	4	4	4	3	3	13	Brisket Stub Horn
896	1-1	78	3.6	3.1	17	1	Pregnant	3-4-22	4	1	2	3	2	11	Bad Feet
897	12-14-20	84	4.4	3.5	10	1	Pregnant	1-7-22	5	3	4	3	3	12	4 STAR
898	12-31-20	105	3.1	2.8	24	1	Pregnant	1-2-22	3	3	3	3	3	13	
899	12-27-20	81	3.3	3.1	22	1	Pregnant	3-24-22	5	3	3	2	2	11	4 STAR
903	8-31-20	102	3.2	3.0	9	7	Exposed		4	3	3	3	3	11	Swollen Hock
904	4-21	84	2.2	3.3	10		Exposed		5	4	4	3	3	13	4 STAR
907	Dry					4	Pregnant	9-3-21	2	2	2	4	5	17	Brisket
908	3-17	75	3.5	2.8	17	1	Exposed		3	3	3	4	2	12	Stub Horns
909	4-4	129	2.7	2.5	142	4	Pregnant	3-9-22	3	3	3	3	2	14	
917	3-18	99	3.6	3.2	161	1	Exposed		5	4	4	3	3	11	Swollen Hock (PW)
918	4-6	102	3.6	3.0	6	1	Exposed		4	3	3	3	2	12	Swollen Hocks
919	1-3	93	3.1	3.1	361	5	Pregnant	11-23-21	3	2	3	3	4	15	Brisket
920	3-4	87	3.7	3.1	314	1	Exposed		4	3	3	3	2	13	Swollen Hocks Tilt Head
922	4-18	114	3.2	2.8	17	1	Exposed		4	3	4	4	3	13	4 STAR
923	2-20	78	2.1	3.0	7	1	Exposed		4	3	2	3	2	12	Knee Hock
924	3-7	90	3.9	3.0	15	1	Pregnant	2-4-22	3	3	3	3	3	14	
937	5-27	99	2.8	2.7	19	1	Exposed		3	3	3	3	4	13	Swollen Hock
938	4-21	105	3.3	2.9	14	1	Pregnant	4-7-22	4	3	4	3	3	13	Bump Hip
940	5-5	84	2.7	3.2	199	1	Exposed		3	3	4	3	4	13	Swollen Hock Horns
942	4-20	84	3.1	2.9	54	1	Exposed		4	3	3	3	2	12	Brisket
944	6-22	57	4.2	2.9	16	1	Exposed		3	3	3	3	2	11	L-Knee Swollen
948	7-2	72	4.2	3.0	57	1	Exposed		4	3	3	3	4	13	
952	6-28	87	3.8	2.8	46	1	Exposed		3	3	3	4	2	12	Horns
953	6-14	78	3.6	2.6	48	1	Exposed		4	3	3	3	3	11	
958	5-4	93	3.4	3.0	29	1	Exposed		5	4	4	2	3	11	4 STAR
959	7-24					1	Exposed		4	4	4	3	4	14	Brisket
964	Springer						Due Soon								Springer
965	4-27	96	3.3	3.0	467	1	Pregnant	3-31-22	5	4	4	3	3	13	4 STAR
969	Dry						Exposed	Due Soon							Need Pic
971	7-19					1	Exposed		4	3	3	3	4	14	4 STAR
975	6-29	72	3.6	2.9	30	1	Exposed		4	3	3	3	2	10	Swollen Hock
979	Springer						Due Soon								Springer
982	7-22					1	Exposed								
990	10-30-21	42	3.3	3.8	191	1	Pregnant	10-19-21	3	3	3	4	4	14	3 Quartered
992	7-23					1	Exposed								
1000	Dry					2	Pregnant	8-1-21	3	3	3	5	5	19	
1001	Dry					3	Pregnant	8-11-21	4	3	2	5	3	16	
2001	Dry					3	Pregnant	9-28-21	2	3	4	3	5	16	R
5106	2-24	126	2.6	2.7	430	4	Pregnant	2-4-22	3	3	3	3	2	14	Brisket Horns
5202	6-25	120	3.5	2.8	14	5	Exposed		3	3	3	4	2	14	Brisket LLF
5206	1-14	117	3.0	2.9	294	3	Pregnant	1-12-22	3	3	4	3	2	14	Brisket
6105	2-4	99	3.3	3.1	93	3	Exposed		3	3	3	3	2	13	
6107	5-24						Exposed		4	3	3	3	2	15	
6108	Dry					2	Pregnant	8-14-21	4	2	2	4	4	17	
6111	5-24	132	2.8	2.9	27		Exposed		4	2	2	2	3	14	
6112	7-25					3	Exposed		3	3	3	2	3	14	
6116	Dry					3	Pregnant	9-3-21	3	3	2	3	4	15	
6118	12-21-20	108	3.3	2.8	135	3	Pregnant	12-3-21	4	3	4	4	3	16	LLR
6122	1-28	129	2.7	2.7	7	3	Pregnant	2-4-22	4	2	3	3	2	14	
6125	12-12-20	111	2.5	2.9	55	3	Pregnant	1-7-22	3	3	4	3	3	15	
6126	1-2	126	2.3	3.0	14	2	Pregnant	1-30-22	4	3	2	4	2	14	
7102	10-4-20	78	3.9	3.4	9	2	Pregnant	1-12-22	4	3	3	3	3	13	

