




Hi11haven

ONLINE Milking Herd & Dry Cow Dispersal

3-29-23 | www.kreegerdairy.com | Edmore, MI

Hillhaven

ONLINE Milking Herd & Dry Cow Dispersal

3-29-23 12-1 PM ET

Bid Online or On The Phone

www.kreegerdairy.com

Load Out 3-30-22 at the Dairy

4196 E McBride Rd Edmore, MI

There will be a link to click on the auction page to enter the sale site to View The Videos and Information for Each Lot, Register for The Sale, Bid, & or Watch. The Sale opens for bidding at 12PM and begins closing at 1PM, but the site is available to view the videos and information ahead of the sale.

Sale Team

Chad Kreeger	517-294-3484
Paul Warner	517-231-8427
Dave Whelen	517-403-7219
Brian Landis	574-536-5026
Clay Papoi	517-526-1917
Shaun Hyde	989-287-2660
Gabe Papoi	989-444-8275
David Bennett	989-286-7244

Please contact any member of the sale team to place bids on the phone or with questions on the cattle or the sale process.

**Terms: Payment by Good Check or Wire Transfer
before loading**

No Buyers Premium | Trucking Available

Herd Facts

DHIA Herd Code: 34-59-0028

Herringbone Parlor | Sand Stalls | Headlocks

Complete Herd Health & Vaccinations

All AI Bred to ABS INFOCUS Beef Bulls

Owners

**Hillhaven
Farms**

**The Rasmussen Family
4196 E McBride Rd Edmore, MI 48829
Mike 989-304-0233**

Sale Managed By

Kreeger
and Associates, LLC

**Box 42 Cass City, MI 48726
chadkreeger@hotmail.com
517-294-3484**

Terms & Conditions

Bidding & Sale Process: The Sale will be conducted in an internet auction format. You can bid online or any member of the sale team can bid for you or have you on the phone the phone during the sale. The Sale begins closing at 12:00 PM, Each Minute one lot closes in lot order. The system does have a bid extension and the lot will close when one minute passes without any increased bids on that lot. The sale will continue to close in order, even if there is overtime bidding on one or multiple lots. When the lot closes the high bid will be the buyer

All Lots sell with 100% Buyer satisfaction

If the buyer does not like the cattle after viewing them prior to loading at the sellers farm, they do not have to take ownership of them, however once they are loaded and leave the sellers farm they are sold on an "As Is" basis with no warranty, expressed or implied and are the property of the buyer. For lots listed as "Sort At Loading" – we will sort any off that need to be, therefore the head count may vary. Lots will sell by the head multiplied by the number of head in each specific lot for the total lot price. If other selling terms are used on a lot it will be listed on that lot description, Example: selling by the pound multiplied by the total weight of the lot weighed on the truck.

Payment Terms

All cattle must be paid for in full before they are loaded.

Payment must be made in good check or wire transfer to Kreeger and Associates, LLC. The buyer will be invoiced for the full amount. Kreeger and Associates will hold the funds until the cattle are loaded. If any difference after loading the balance will be refunded. All bids are in US funds.

Trucking Details: Kreeger and Associates, LLC will assist with load outs and handle arrangements for the trucks.

Health Warranty: Proper health certificates will be provided when required any additional testing cost will be the responsibility of the buyer. The results of any future health test is not guaranteed. No is warranted to be free of Johnes or any other infectious disease. For animals that travel outside of the state of origin the buyer will be responsible for the legal importation of cattle into that state, please check prior to the sale.

Errors: The material printed in this catalog has been carefully edited. If any errors or omissions are discovered, they will be posted a www.kreegerdairy.com and changed in the auction system. Such announcements take precedence over printed material. This information is provided by the owners and DHIA Records and is believed to be correct, however, it is not guaranteed. This sale will be controlled by an auction program. Kreeger and Associates, LLC is not responsible for malfunction or system errors which cause a bid or bidder to fail to be recognized or registered. Some of the animals shown in a lot video may have been moved to a different lot allowing for truck load capacity and reproductive status.

General: It is the intention of the owners and the sale management to represent and present these animals in their present condition, however No adjustments will be made after the animal's leave the sellers farm. Females announced as pregnant were found to be pregnant by a licensed veterinarian. No guarantee is made or implied that the pregnancy will go full term. Cattle that are sold with a natural service date are as accurate as possible, although they are not guaranteed to be exact.

Disclaimer: Any person bidding on items in the auction agrees to these terms and conditions and understands that, by bidding, they are entering into a legal binding contract between themselves and the seller(s) and that they will be held financially responsible for their actions. This includes those people representing parties not present at the sale. Neither the owners, auctioneers, sale manager nor other affiliated personnel may be held responsible for any accidents that may occur. Kreeger and Associates, LLC acts only as an agent between buyer and seller and may not be held responsible for any livestock or merchandise. It is to be clearly understood that Kreeger and Associates, LLC and its representatives act only as a medium between buyer and seller, and may not be held liable, financially or otherwise, for any failure in any obligations set forth in this sale.

Internet Description Score (IDS)

This is just one persons opinion to help describe each cow. The higher the number the better she is, with 3 being an average good looking & working functional cow.

(U) Udder 1- 5 | (F) Feet 1- 5 | (L) Legs 1- 5 | (S) Stature 1- 5 | (B) Body Condition 1 Thin - 5 Fat | (W) Weight Estimate

5 STAR- This is based on there (IDS) and production and reproduction information. A Five Star best combines it all!

4 STAR- Almost a 5, but not quite!

Internet Description Codes (IDC)



5 Star
Cow



1st Lact



4 Star
Cow



2nd Lact



Milking
100# +



Dry Cow



High Cow
in The Herd



Fresh



Pregnant



5 Star
Udder



4 Star
Udder



Slight
Wide Rear
Teats



Slight
Imbalanced
Udder



Slight Light
Right Front
Quarter



Slight
Limp or
Walk



Slight Light
Left Rear
Quarter



Somatic
Cell Count
300K-499K



Slight Light
Right Rear
Quarter



Slight
Need Feet
Trimmed



Slight Light
Left Front
Quarter



Slight
Reverse Tilt



Slight
Wide Front
Teats



Wide Rear
Teats



3 Quarter
Left Front



Wide Front
Teats



Light
Right Rear
Quarter



3 Quarter
Right Front



Need Feet
Trimmed



Light
Left Front
Quarter



3 Quarter
Left Rear



Wide Teats



Light
Right Front
Quarter



3 Quarter
Right Rear



Deep Udder



Light
Left Rear
Quarter



Limp or
Walk



Severe
Reverse Tilt



Lame Feet



Imbalanced
Udder



Somatic
Cell Count
500K+

4 (5) Fresh 1st Lact Heifers | Fresh 12-2 to 2-6 | Avg 89# 4.2 2.9 SCC-52K 1st Lact | 5 STAR UDDER Avg | Top Heifer 104#

ID	Avg Fresh	89 Milk	4.2 Fat%	2.9 Pro%	52 SCC	1 Lact	305me	Repro	SireCode	MGSCode	Avg BrthDate	5 U	3 F	3 L	3 S	3 B	12 W	Comment
482	2/6/23	84	4.7	2.9	13	1					1/1/21	5	3	3	3	3	13	5☆☆Udder
487	1/24/23	104	6	2.9	31	1					11/1/20	5	4	4	4	3	13	☆☆☆☆☆
494	12/26/22	88	3.3	2.9	152	1		Bred 3-17 to 829XB718			11/1/20	4	3	3	2	2	10	4☆☆Udder
497	12/30/22	86	3.3	2.6	44	1		Bred 2-27 to 829XB707			12/1/20	5	3	4	3	3	11	5☆☆Udder
500	12/2/22	84	3.9	3	19	1		Bred 2-17 to 829XB718			11/1/20	4	3	3	3	3	11	☆☆☆☆

4-1 (3) Dry 1st Lact Heifers | Due 5-27 to 6-9 | 305me Avg 31890# LA SCC(L) Avg 2.2 | 4 Star Udder Avg

ID	Avg Fresh	Milk	Fat%	Pro%	2.2 SCC	1 Lact	31890 305me	Repro	SireCode	MGSCode	Avg BrthDate	4 U	3 F	3 L	3 S	4 B	15 W	Comment
191	Dry			LA (L)	2	1	33636	Due 6-9 to 829XB707			1/1/19	3	3	3	3	5	17	
272	Dry			LA (L)	2.2	1	31007	Due 5-20 to 829XB707			1/1/19	3	3	4	3	3	14	
4903	Dry			LA (L)	2.5	1	31026	Due 5-27 to 829XB707			1/1/19	5	3	3	3	4	13	☆☆☆☆

4-2 (5) Preg 2nd Lact Cows | Avg 94# 3.6 3.2 SCC-98K 2nd Lact 305me 35455 | Due 7-6 to 9-27 | Top Cow 124#

ID	Avg Fresh	94 Milk	3.6 Fat%	3.2 Pro%	98 SCC	2 Lact	35455 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	3 B	14 W	Comment
41	8/3/22	68	3.9	3.4	200	2	31714	Due 8-28 to 829XB707			6/1/19	3	3	3	2	4	14	
137	8/14/22	96	2.9	3.1	115	2	36826	Due 9-27 to 829XB715			1/1/19	3	3	3	3	3	14	
159	8/17/22	80	3.6	3.5	115	2	31320	Due 8-11 to 829XB707			1/1/19	4	3	3	3	4	15	4☆☆Udder
1021	4/24/22	102	4.4	3.4	47	2	35310	Due 7-6 to 829XB707			3/8/19	3	3	3	3	3	13	
1024	5/15/22	124	3.3	2.8	13	2	42104	Due 7-6 to 829XB707			3/12/18	3	3	3	4	1	14	

4-3 (3) Dry 2nd Lact Cows | Due 4-10 to 4-21 | 305me Avg 35640# LA SCC(L) Avg 1.1 | ALL 4 STAR Udders

ID	Avg Fresh	Milk	Fat%	Pro%	1.1 SCC	2 Lact	35640 305me	Repro	SireCode	MGSCode	Avg BrthDate	4 U	3 F	3 L	4 S	3 B	16 W	Comment
141	Dry			LA (L)	1	2	39336	Due 4-10 to 829XB709			5/1/19	4	3	3	4	3	16	☆☆☆☆
244	Dry			LA (L)	1	2	33061	Due 4-11 to 829XB709			5/1/19	4	3	4	4	3	18	☆☆☆☆
1109	Dry			LA (L)	1.4	2	34524	Due 4-21 to 829XB709			10/15/18	4	2	3	3	3	15	4☆☆Udder

4-4 (5) Fresh 3rd Lact Cows| Fresh 12-6 to 2-3 | Avg 136# 3.7 2.9 SCC-16K 3rd Lact | ALL 4 & 5 Stars | Top Cow 162# & All Over 100#

ID	Avg Fresh	136 Milk	3.7 Fat%	2.9 Pro%	16 SCC	3 Lact	36184 305me	Repro	SireCode	MGSCode	Avg BrthDate	4 U	3 F	3 L	4 S	2 B	16 W	Comment
111	12/18/22	132	3.4	3.1	13	3	35323	Bred 3-16 to 829XB718			1/1/18	4	3	3	4	3	17	☆☆☆☆☆
181	12/6/22	144	4.4	3	13	3	39825	Bred 2-24 to 829XB718			8/1/18	5	3	3	4	2	15	☆☆☆☆
1471	2/1/23	140	3.3	2.9	20	3	34911				12/00/18	5	3	4	4	3	16	☆☆☆☆
1870	2/3/23	162	3.9	2.8	13	3	35740		200HO10203	14HO5434	9/22/18	4	3	3	5	2	16	☆☆☆☆
1891	12/8/22	100	3.4	2.8	23	3	35119	Bred 2-27 to 829XB707	1HO11426	7HO9173	12/31/18	4	3	3	3	2	14	☆☆☆☆

4-5 (5) Fresh 3rd Lact JERSEY Cows| Fresh 12-4 to 2-12 | Avg 90# 4.5 3.5 SCC-39K 3rd Lact 305me 23443# | 4 Star Udder Avg | Top 100#

ID	Avg Fresh	90 Milk	4.5 Fat%	3.5 Pro%	39 SCC	3 Lact	23443 305me	Repro	SireCode	MGSCode	Avg BrthDate	4 U	3 F	3 L	3 S	3 B	11 W	Comment
186	12/4/22	92	4.3	3.3	76	3	23542	Bred 2-17 to 829XB718			7/1/18	4	2	3	4	3	13	4☆☆Udder Jersey
11477	12/15/22	100	4.1	3.4	66	3	24477	Bred 3-10 to 829XB718	614JE673	507JE1067	11/11/18	3	3	3	3	3	11	Jersey
11482	12/13/22	80	5.3	3.6	18	3	22690	Bred 3-10 to 829XB718	1JE935	14JE652	11/13/18	3	3	3	3	3	11	Jersey
11484	1/25/23	94	4.5	3.3	18	3	22336			1JE892	11/13/18	5	3	3	3	3	10	☆☆☆☆Jer
11688	2/12/23	84	4.5	3.9	15	3	24171		501JE892	511JE1186	1/9/19	3	3	3	3	3	10	SL WFT Jersey

4-6 (4) Serviced 3rd Lact Cows| Fresh 10-20 to 11-26 | Avg 121# 3.7 3.0 SCC-51K | Avg 4 Star Udders | Top 136# & All Over 100#

ID	Avg Fresh	121 Milk	3.7 Fat%	3.0 Pro%	51 SCC	3 Lact	33988 305me	Repro	SireCode	MGSCode	Avg BrthDate	4 U	3 F	4 L	3 S	2 B	14 W	Comment
27	11/26/22	136	3.5	3	20	3	32510	Bred 2-17 to 829XB718			1/1/18	3	4	4	3	2	13	
214	11/25/22	118	3.9	2.7	93	3	34378	Bred 2-17 to 829XB718			3/1/18	4	3	4	3	2	13	☆☆☆☆
221	10/20/22	120	3.8	3	76	3	37950	Bred 3-16 to 829XB718			3/1/18	3	3	3	3	3	15	
1874	11/25/22	108	3.4	3.1	13	3	31115	Bred 2-16 to 829XB718	200HO10648	200HO5843	10/16/18	5	3	4	4	2	13	5 STAR Stub Horn

4-7 (4) Preg 3rd Lact Cows| Due 9-22 to 11-12 | Avg 98# 4.0 3.0 SCC-49K 3rd Lact 305me 35201# | 4 Star Udder Avg | Top Cow 104#

ID	Avg Fresh	98 Milk	4.0 Fat%	3.4 Pro%	49 SCC	3 Lact	35201 305me	Repro	SireCode	MGSCode	Avg BrthDate	4 U	3 F	4 L	4 S	3 B	15 W	Comment
38	10/5/22	100	4.1	3.4	14	3	39512	Due 9-29 to 829XB715			2/1/18	4	3	4	4	4	16	☆☆☆☆
338	11/7/22	104	3.9	3.4	15	3	28045	Due 11-12 to 829XB707	7HO12105	7HO11926	9/21/18	5	3	3	3	3	13	☆☆☆☆
764	7/28/22	90	3.7	3.4	141	3	39823	Due 11-7 to 829XB707			3/1/18	3	4	4	4	3	15	Stub Horns
1033	7/7/22	96	4.1	3.4	27	3	33424	Due 9-22 to 829XB715			3/28/18	3	3	3	3	3	15	

4-8 (5) Fresh 4th+ Lact Cows | Fresh 1-4 to 1-15 | Avg 122# 4.0 2.7 SCC-22K 5th Lact 305me 33565# | Top Cow 132# & All Over 100#

ID	Avg Fresh	122 Milk	4.0 Fat%	2.7 Pro%	22 SCC	5 Lact	33565 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	2 B	13 W	Comment
79	1/15/23	118	3.4	2.7	13	6	30495				1/1/15	3	3	3	3	1	12	
129	1/10/23	120	3.7	2.8	29	5	33070				2/1/17	3	3	3	5	2	14	
169	1/2/23	132	6.1	2.5	13	4	34077				10/1/17	3	3	3	2	2	12	
820	1/2/23	124	3.1	2.8	13	5	32275		29HO14427	29HO13219	10/16/16	3	3	3	3	3	14	
9224	1/4/23	116	3.5	2.9	41	4	37908				12/1/17	3	3	3	3	2	13	

4-9 (5) Fsh 4th+ Lact Cows | Fresh 12-4 to 12-31 | Avg 113# 3.7 2.9 SCC-35K 5th Lact 305me 33048# | Top Cow 128# & All Over 100#

ID	Avg Fresh	113 Milk	3.7 Fat%	2.9 Pro%	35 SCC	5 Lact	33048 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	3 B	14 W	Comment
11	12/10/22	108	3.4	3.2	13	5	27448		29HO13144		10/17/16	3	3	3	3	3	13	
46	12/4/22	112	4	3.1	123	6	32463		29HO13566	29HO13811	12/24/15	3	3	3	3	3	14	
70	12/14/22	128	4.3	2.7	13	5	38054	Bred 3-3 to 829XB718	29HO14227	29HO13423	7/28/16	3	3	3	3	3	14	SL WFT
185	12/19/22	111	2.9	2.9	14	4	25768				6/1/17	3	3	3	4	3	17	
432	12/31/22	108	3.8	2.8	13	4	41505	Bred 3-19 to 829XB718			4/1/17	3	3	3	3	3	14	

4-10 (5) Serviced 4th+ Lact Cows | Fresh 9-6 to 12-1-22 | Avg 124# 3.6 3.3 SCC-16K 4th Lact 305me 37897# |Top 148# & All Over 100#

ID	Avg Fresh	124 Milk	3.6 Fat%	3.0 Pro%	16 SCC	4 Lact	37897 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	2 B	13 W	Comment
89	9/12/22	128	3.5	3.2	22	4	38476				1/1/16	3	3	4	4	3	13	
200	9/6/22	112	3.2	3	13	4	39260	Bred 2-22 to 829XB718			3/1/17	3	3	3	2	2	12	
781	11/5/22	112	4.4	3.3	20	5	31403	Bred 3-17 to 829XB718	7HO12436		10/2/16	3	3	3	4	1	14	Red & White
794	11/25/22	122	3.9	2.9	13	4	34968	Bred 2-17 to 829XB718	29HO13664	29HO13423	7/14/16	4	3	3	3	2	14	4☆☆Udder
2744	12/1/22	148	3	2.8	13	4	45379	Bred 3-16 to 829XB718			11/1/17	3	3	4	4	2	13	

4-11 (4) Preg 4th+ Lact Cows | Due 6-19 to 7-28 | Avg 91# 4.1 3.3 SCC-38K 4th Lact 305me 33904# | Top Cow 106# | 4 STAR Udder Avg

ID	Avg Fresh	91 Milk	4.1 Fat%	3.3 Pro%	38 SCC	4 Lact	33934 305me	Repro	SireCode	MGSCode	Avg BrthDate	4 U	3 F	3 L	4 S	3 B	16 W	Comment
582	6/27/22	92	4.2	3.3	38	4	39060	Due 6-19 to 829XB707			3/1/17	3	3	3	3	3	14	Red & White
648	7/12/22	72	3.7	3.2	25	4	31268	Due 7-10 to 829XB707	7HO11830	7HO12072	8/18/17	3	3	3	5	3	17	
1903	6/10/22	92	4.3	3.4	66	4	28435	Due 6-22 to 829XB707		HBJEEVES	5/19/17	4	3	3	3	3	14	4☆☆Udder
3589	8/5/22	106	4.3	3.3	23	4	36971	Due 7-28 to 829XB707	1HO11889	7HO10721	5/4/17	4	3	4	4	3	17	☆☆☆☆

4-12 (5) Preg 4th+ Lact Cows | Due 8-4 to 9-7 | Avg 85# 4.0 3.3 SCC-41K 4th Lact 305me 34503# | Top Cow 106#

ID	Avg Fresh	85 Milk	4.0 Fat%	3.2 Pro%	41 SCC	4 Lact	34503 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	3 B	14 W	Comment
3	8/15/22	106	3.5	3.2	38	4	40168	Due 8-11 to 829XB707			8/1/17	4	3	3	2	3	12	4☆☆Udder
196	7/25/22	76	3.7	3.1	54	5	30259	Due 8-12 to 829XB707	29HO13566	29HO13053	2/17/16	4	3	3	2	4	14	4☆☆Udder
415	8/8/22	82	4	3.1	66	4	35567	Due 8-4 to 829XB707			3/1/17	3	3	3	3	3	14	
830	8/13/22	80	4.3	3.5	33	5	35708	Due 9-7 to 829XB707	29HO14311		6/7/16	3	2	3	3	4	14	☆☆☆☆☆☆
1435	8/21/22	82	4.5	3.3	14	4	30811	Due 8-19 to 829XB707			3/1/17	3	3	3	3	3	14	

4-13 (4) Preg 4th+ Lact Cows | Due 10-2 to 11-24 | Avg 119# 4.0 3.2 SCC-17K 4th Lact 305me 35173# | Top Cow 134# & All Over 100#

ID	Avg Fresh	119 Milk	4.0 Fat%	3.2 Pro%	17 SCC	4 Lact	32622 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	3 B	15 W	Comment
4	11/5/22	122	3.6	3.1	29	4	28549	Due 10-26 to 829XB707			1/1/17	3	3	3	2	3	13	Stub Hrn
13	8/31/22	108	4.3	3.4	13	4	35154	Due 10-2 to 829XB715			7/1/17	3	4	4	3	3	16	
608	11/4/22	110	4	3.2	13	4	34903	Due 10-23 to 829XB718	7HO11647	7HO9587	1/6/17	3	3	3	3	2	14	
693	11/5/22	134	4	3	13	5	31882	Due 10-27 to 829XB707	11HO11422	7HO10506	12/11/15	3	3	3	3	3	15	

4-14 (6) Dry 4th+ Lact Cows | Due 4-11 to 5-23 | 305me Avg 35761# LA SCC(L) Avg 1

ID	Avg Fresh	1 Milk	4 Fat%	1 Pro%	4 SCC	35761 Lact	305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	4 S	4 B	17 W	Comment
93	Dry			LA (L)	1.6	5	30949	Due 5-13 to 829XB707	29HO13664	29HO13423	4/19/16	3	3	3	3	3	14	
274	Dry			LA (L)	0.4	5	43539	Due 4-11 to 829XB709	29HO14427	29HO14141	6/17/16	3	3	4	3	4	16	
754	Dry			LA (L)	1.2	4	35502	Due 4-22 to 829XB509	29HO14459	29HO13796	6/7/16	3	3	4	4	5	18	
849	Dry			LA (L)	2.2	4	36713	Due 5-5 to 829XB707	HBPATZ	HBOTTAWA	8/12/16	3	3	3	3	5	17	
907	Dry			LA (L)	1.8	4	31321	Due 4-18 to 829XB709	HBGARBOR	7HO9397	12/5/16	4	3	3	4	5	19	☆☆☆☆
1920	Dry			LA (L)	1.2	4	36539	Due 5-23 to 829XB707	7HO12667		7/14/17	4	3	3	4	4	18	4☆☆Udder

Milk Wagon Groups (Please Read All Individual Comments)

4-15 (5) Preg Cows | Due 6-28 to 11-8 | Avg 107# 3.6 3.2 172 6 35417 | Top Cow 126#

ID	Avg Fresh	107 Milk	3.6 Fat%	3.2 Pro%	172 SCC	6 Lact	35417 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	2 B	13 W	Comment
104	8/3/22	104	4.1	3.2	123	6	34525	Due 7-11 to 829XB707	29HO14335	29HO13144	1/31/15	3	3	3	2	1	12	Deep Udder
122	8/1/22	108	3.1	3.2	57	6	36210	Due 6-28 to 829XB707	29HO13911	29HO13219	4/30/15	2	3	3	3	3	12	WFT
365	10/13/22	96	4.4	3.6	50	6	29710	Due 10-12 to 829XB715	29HO13911	29HO11603	5/19/15	3	3	4	3	3	14	
464	9/4/22	126	3.2	3.2	566	6	42067	Due 11-8 to 829XB718	29HO13911	29HO16031	5/8/15	3	3	3	3	3	14	SL WFT
593	8/21/22	102	3	2.8	62	6	34571	Due 8-11 to 829XB707			1/1/15	2	3	2	4	2	14	Deep Udder

4-16 (5) Fresh Cows | Fresh 12-30 to 1-19 | Avg 116# 3.6 2.9 SCC-43K 5th Lact 305me 35062# | Top Cow 132#

ID	Avg Fresh	116 Milk	3.6 Fat%	2.9 Pro%	43 SCC	5 Lact	35062 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	2 B	14 W	Comment
68	12/30/22	118	3	2.9	13	6	40242		29HO14427	29HO10799	3/14/15	3	2	3	3	2	14	DU NFT-FRT
176	1/15/23	132	4.1	3.1	87	5	31016		29HO13664	HB	9/24/16	2	3	3	4	2	15	Deep Udder
187	1/16/23	104	2.7	2.6	13	5	32421		29HO14459	29HO14141	6/10/16	3	4	3	3	2	14	SL WFT
265	1/19/23	98	4	2.9	87	6	32913		29HO13913	29RE3	6/13/15	2	3	3	3	3	12	Deep Udder XB
816	1/16/23	128	4.2	3	13	4	38717				8/1/17	3	3	3	2	1	13	WFT

4-17 (5) Cows | Fresh 11-25 to 12-12 | Avg 124# 3.8 2.9 SCC-162K 5th Lact 305me 34409# | Top Cow 136# & All 100#+

ID	Avg Fresh	124 Milk	3.8 Fat%	2.9 Pro%	162 SCC	5 Lact	34409 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	2 B	14 W	Comment
10	11/25/22	116	3.2	3.1	13	4	37660	Bred 2-17 to 829XB718			7/1/17	3	3	3	4	1	14	Walk DU
101	12/2/22	128	3.9	2.9	38	5	34508	Bred 3-15 to 829XB718	29HO14427	29HO13911	6/2/16	3	3	3	3	3	14	NFT-FRT
178	12/11/22	136	3.7	2.9	566	6	32494	Bred 2-24 to 829XB718	29HO13911	HB	7/7/15	2	3	3	3	2	13	Walk DU
416	12/12/22	104	4.5	2.7	152	6	33461		29HO14470		5/31/15	2	2	2	3	2	13	Walk DU
842	11/25/22	136	3.9	3	41	6	33924		29HO13911	29HO14719	10/6/14	3	2	3	3	2	14	WFT

4-18 (4) Cows | Fresh 9-4 to 11-10 | Avg 114# 3.5 3.1 SCC-104K 5th Lact 305me 27074# | Top Cow 128# & All 100#+

ID	Avg Fresh	114 Milk	3.5 Fat%	3.1 Pro%	104 SCC	5 Lact	33842 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	2 B	14 W	Comment
103	11/10/22	128	3.7	3.1	13	6	35853		29HO13343	29HO13494	12/29/14	3	3	3	3	2	16	Long Teats
319	9/4/22	112	3.7	3.3	303	6	35677	Bred 2-21 to 829XB718	29HO14427	29HO14095	8/7/15	3	3	3	3	2	13	
955	10/27/22	100	3.6	3.1	13	5	29391	Bred 3-16 to 829XB718	29HO14459	29HO13911	12/3/16	3	3	4	3	3	13	Deep Udder
1443	10/23/22	116	2.9	3	87	4	34448				3/1/17	3	3	3	3	2	13	WFT

4-19 (5) Fresh 3/4 Cows | Fresh 11-6 to 2-2 | Avg 104# 4.1 3.0 SCC-14K 5th Lact 305me 31274# | Top Cow 116#

ID	Avg Fresh	104 Milk	4.1 Fat%	3.0 Pro%	14 SCC	5 Lact	31274 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	3 B	15 W	Comment
43	12/29/22	116	3.9	3.1	13	4	26258	Bred 3-19 to 829XB718			8/1/17	3	3	4	4	3	15	3/4 RF
55	12/3/22	98	4.3	3	13	6	29524		29HO14427	29HO13817	10/28/15	3	3	3	3	3	14	3/4 LR
606	2/2/23	106	4.1	2.7	13	5	37921		29HO14427	29HO13343	10/19/16	3	4	3	3	3	14	3/4 LR
756	2/2/23	98	4.4	3.1	13	5	33832				1/1/17	2	3	3	3	3	14	3/4 DU
956	11/6/22	100	3.6	3.2	18	4	28834	Due 11-13 to 829XB718	14HO7475		10/27/17	3	3	3	4	4	17	3/4 LF R&W

4-20 (5) 3/4 Cows | Fresh 9-21 to 11-4 | Avg 90# 3.6 3.2 SCC-38K 5th Lact 305me 30286# | Top Cow 102#

ID	Avg Fresh	90 Milk	3.6 Fat%	3.2 Pro%	38 SCC	5 Lact	30286 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	4 B	14 W	Comment
878	9/21/22	100	4.3	3.2	81	5	34117	Due 9-24 to 829XB715	29HO14427	29HO13811	9/25/16	3	3	3	3	2	14	3/4 RF DU
886	10/3/22	82	3.4	3	27	7	30491	Due 10-1 to 829XB715	29HO14141	252NR10100	8/19/14	3	3	3	3	4	14	3/4 RF
939	11/4/22	102	3.5	3	54	5	33628	Due 10-13 to 829XB715	29HO13664	29HO13566	11/19/16	3	3	3	2	4	13	3/4 LR
972	10/1/22	92	4	3.4	15	5	32036		29HO16593	29HO13219	8/13/16	3	3	3	3	4	14	3/4 RF
9252	11/2/22	76	2.8	3.2	14	4	21158	Bred 2-13 to 829XB718			11/1/17	3	2	3	3	4	14	3/4 DU NFT

4-21 (4) Preg 3/4 Cows | Due 8-12 to 10-14 | Avg 94# 3.9 3.4 SCC-78K 4th Lact 305me 27831# | Top Cow 124#

ID	Avg Fresh	94 Milk	3.9 Fat%	3.4 Pro%	78 SCC	4 Lact	34789 305me	Repro	SireCode	MGSCode	Avg BrthDate	3 U	3 F	3 L	3 S	3 B	15 W	Comment
12	8/11/22	92	3.3	3.2	152	4	34266	Due 10-14 to 829XB715			7/1/17	3	3	3	3	4	15	3/4 RR
34	9/13/22	124	4.1	3.3	25	5	39212	Due 9-19 to 829XB715	29HO16593	29HO16090	6/7/16	3	3	3	3	4	14	3/4 LF
4010	7/20/22	92	4.2	3.2	115	3	31616	Due 8-12 to 829XB707			3/1/18	4	3	3	3	2	13	3/4 LF
8109	6/2/22	66	3.9	3.7	18	3	34063	Due 9-22 to 829XB715			2/1/18	3	3	3	4	3	16	3/4 LR

ID	Fresh	Milk	Fat%	Pro%	SCC	Lact	305me	Repro	SireCode	MGSCode	BrthDate	U	F	L	S	B	W	Comment
5	2/23/23	76	4.7	3.2	66	3	36284				6/1/19	4	3	3	2	4	12	4☆Udder
14	Dry			LA (L)	2.5	1	22893	Due 4-6 to 829XB508			7/1/19	4	3	3	2	3	10	🐄🏠4☆Udr Block
15	1/3/23	108	3.4	2.9	13	2	33970	Bred 3-17 to 829XB718			6/1/19	3	4	3	2	3	14	🐄
19	6/14/22	104	2.8	3.2	14	2	36710				6/1/19	4	3	3	2	2	12	🐄4☆Udder
20	2/27/23					2	24010				11/1/19	3	3	3	3	3	12	Long Teats
25	12/13/22	114	3	2.8	13	2	28267	Bred 3-3 to 829XB718			6/1/19	4	4	4	3	3	15	🐄☆☆☆☆
30	Dry			LA (L)	5.2	5	30041	Due 5-13 to 829XB707	29HO14427	29HO13911	3/22/16	2	3	4	3	3	14	🐄🏠🏠3/4 RF-SCC
33	3/5/23					2	29443				1/1/20	3	3	3	5	3	14	
40	Dry			LA (L)	2	2	23792	Due 3-27 to 829XB509			1/1/19	4	3	3	2	5	14	🐄4☆Udder
44	Dry			LA (L)	2.8	3	33172	Due 4-6 to 829XB508			1/1/18	3	2	3	3	3	17	🐄
47	Dry			LA (L)	0.7	6	32308	Due 3-24 to 829XB707	29HO13494	29HO13891	10/13/14	3	3	3	3	3	15	🐄
63	8/25/22	112	4.1	3.1	14	5	39298		29HO14311		4/18/16	1	3	3	3	3	13	🐄Deep Udder
71	7/30/22	90	3.1	3	71	5	35198		29HO14427	29HO13566	7/22/16	3	3	3	4	4	16	
83	1/22/23	116	4.2	3.1	18	3	27471				8/1/18	3	2	2	3	3	10	J🐄🏠Walk NFT
94	Dry			LA (L)	2.8	1	25606	Due 3-17 to 829XB509			9/1/19	4	3	3	4	4	15	🐄☆☆☆☆
97	2/15/22	70	3.6	3.4	33	6	34031	Due 6-24 to 829XB707	29HO14335	29HO13246	11/30/14	3	3	3	3	2	14	🐄🏠Block
119	2/12/23	70	4.7	3.4	214	6	35590		29HO13911	29HO13219	4/19/15	3	3	3	3	3	15	🏠SL LRR
126	8/15/22	134	3.4	3.3	13	2	45495	Bred 3-17 to 829XB718			7/29/19	4	2	3	4	2	13	🐄🏠Lump Neck
128	11/19/22	74	6	3.6	13	3	20298	Bred 2-25 to 829XB718			1/1/18	4	3	4	3	1	10	X4☆Udder
131	7/23/22	88	3.8	3.2	50	3	32153	Due 8-22 to 829XB707			1/1/19	3	2	4	3	3	14	🐄🏠SL WFT
145	12/13/22	108	3.7	3.4	303	2	33777	Bred 3-3 to 829XB718			6/1/19	3	3	3	3	2	13	🐄
165	Dry			LA (L)	2.5	1	35272	Due 3-27 to 829XB509			1/1/19	3	3	3	3	5	16	🐄🏠WFT
166	Dry			LA (L)	1.5	2	30388	Due 5-6 to 829XB709			11/1/18	4	4	3	3	3	12	X🐄☆☆☆☆
168	3/4/23					4	31819				10/1/17	3	3	3	3	3	14	🏠SL WFT Stub
179	8/31/22	100	3.1	3.1	13	2	38873	Due 9-29 to 829XB715			1/1/19	3	3	4	3	4	14	🐄🐄Long Teats
198	7/20/22	88	4	3.4	23	2	33455	Due 7-21 to 829XB707			7/1/19	5	3	4	3	2	13	🐄☆☆☆☆
210	8/29/22	92	3.5	3.5	27	3	32360	Due 9-29 to 829XB707			3/1/18	4	3	3	3	3	10	J🐄4☆Udder
212	Dry			LA (L)	1.2	3	36785	Due 4-12 to 829XB709			3/1/18	3	3	3	4	4	17	🐄Bung Eyes
243	4/22/22	74	4.4	3.9	62	2	34557	Due 6-20 to 829XB707			5/1/19	4	3	4	3	3	14	🐄4☆Udder
260	11/3/22	90	4.6	3.3	22	6	32438	Bred 2-24 to 829XB718	29HO13913	HB	4/15/15	3	3	3	3	3	12	X
283	9/25/22	108	3.6	3.2	13	2	30732	Due 10-13 to 829XB715			1/1/19	3	3	3	3	3	11	X🐄🐄
335	2/26/23					7	29301		29HO14427	29HO13229	4/3/15	3	3	3	3	3	14	Deep Udder
346	Dry			LA (L)	3.7	1	32778	Due 5-16 to 7HO13979			3/1/20	4	3	3	4	3	12	X🐄4☆Udder
356	2/9/23	72	5.4	2.7	14	2	28738				1/1/20	3	3	3	3	2	14	🏠LLR
378	9/9/22	80	4.8	3.7	27	2	30658	Due 8-30 to 829XB707	7JE1219	7HO11926	10/12/19	3	3	3	3	2	11	X🐄
383	9/2/22	80	2.2	3.1	13	2	40633	Bred 3-6 to 829XB718			11/1/18	5	4	4	3	3	14	PX 5☆Udder RW
387	3/13/23					3	16018				8/1/18	3	3	3	4	3	17	
399	Dry			LA (L)	2.7	1		Due 4-14 to 7HO12024			7/1/19	5	3	3	3	4	16	🐄☆☆☆☆
426	12/28/22	120	4.1	3.1	76	2	28334	Bred 3-19 to 829XB718			11/1/19	3	3	3	3	2	10	X🐄
459	2/21/23	76	5.3	3.9	152	4	35174				11/1/17	3	2	3	3	3	15	🏠SL LLR
466	9/27/22	102	4.1	3.3	13	1	29546	Bred 3-4 to 829XB707			9/1/20	5	3	3	3	3	11	X🐄5☆Udder
467	Dry			LA (L)	1.7	3	38806	Due 4-20 to 829XB709			10/7/17	4	3	3	4	4	18	🐄4☆Udder
469	1/1/22	72	3.7	3.4	283	1	26370	Due 8-17 to 829XB707			1/1/19	4	3	3	3	3	12	🐄4☆Udder R&W
483	10/7/22	100	2.7	3.4	44	1	32750	Due 10-24 to 829XB707	7HO12236		11/12/20	5	4	4	3	3	12	🐄🐄☆☆☆☆☆
492	12/8/22	84	3.1	2.7	13	1	27877	Bred 3-10 to 829XB718			11/1/20	3	3	3	3	3	11	Stub
498	3/16/23					5	31486				3/1/17	3	3	4	3	3	15	
556	Dry			LA (L)	4.4	4	32885	Due 3-24 to 829XB707			12/1/16	3	3	4	3	4	15	🐄🏠🏠High SCC
572	3/20/22	80	2.3	3.7	81	4	39671	Due 9-3 to 829XB707			1/1/17	3	3	3	3	4	15	🏠WFT R&W
624	Dry			LA (L)	1.9	6	32001	Due 3-27 to 829XB509	29HO14141	29HO11943	6/10/14	3	2	3	2	4	17	🐄DU LT
627	Dry			LA (L)	3.9	1	37680	Due 4-3 to 829XB920			1/1/19	3	2	3	3	3	14	🐄
696	9/30/22	134	3.3	3.1	606	5	34923	Bred 3-7 to 829XB718	29HO14427	29HO13343	10/7/16	3	3	3	3	2	12	🏠🏠High SCC
726	Dry			LA (L)	1.2	5	32080	Due 5-4 to 829XB709		HBPARKER	8/25/15	2	1	2	3	3	13	🐄🏠Limp WFT DU
740	3/15/23					4	39442	Due 3-23 to 829XB509			8/1/17							
769	12/23/22	128	4.2	3	152	3	34927	Bred 2-21 to 829XB718			3/1/18	4	3	3	3	4	15	🐄4☆Udder Horns
872	Dry			LA (L)	3	4	32840	Due 3-31 to 829XB509			10/2/16	4	3	4	4	4	17	🐄☆☆☆☆
880	7/30/22	60	3.3	3.1	71	5	34955	Due 6-30 to 829XB707	29HO14427	29HO11359	9/26/16	3	4	4	4	4	15	🐄
913	Dry			LA (L)	3.8	6	36291	Due 3-27 to 829XB509	29HO14377		10/30/14	3	3	3	3	5	16	🐄Deep Udder
938	3/7/23					8	30879		29HO13811	29HO11068	10/25/13	3	3	3	3	4	14	🏠NFT
986	3/20/23					6	27524		29HO13911	29HO11359	11/14/14	3	3	3	4	5	18	🏠🏠3/4
997	7/20/22	84	3.8	3.3	41	5	38242		29HO13343	29HO14141	6/13/16	4	3	3	3	4	14	4☆Udder
1074	9/1/22	102	4.6	3.3	13	2	32199	Bred 3-4 to 829XB707			6/16/18	3	4	3	3	3	14	🐄
1128	2/17/23	80	4.6	4	13	3	32911		7HO12605	7HO12195	2/11/20	4	3	4	4	3	18	☆☆☆☆RT
1433	8/7/22	82	5.2	3.9	174	2	33479	Due 11-18 to 829XB718			2/20/19	3	3	3	3	3	14	🐄Long Teats RW
1586	3/21/23					4	21268				1/1/17	4	3	3	3	3	15	
1863	Dry			LA (L)	2	2	31074	Due 3-24 to 829XB707	29HO17573	11HO9703	8/27/18	5	3	4	4	4	17	🐄☆☆☆☆☆
1879	4/22/22	84	3.6	3.5	528	2	36009	Due 9-27 to 829XB715	29HO17553	11HO9703	11/27/18	4	3	3	4	4	16	🐄4☆Udder
1888	11/26/21	78	4.6	3.6	41	2	35036	Due 6-20 to 829XB707	200HO10619	551HO681	12/21/18	5	3	4	#	4	17	🐄5☆Udder

ID	Fresh	Milk	Fat%	Pro%	SCC	Lact	305me	Repro	SireCode	MGSCCode	BrthDate	U	F	L	S	B	W	Comment
2702	9/25/22	76	4.3	3.4	13	4	39635	Bred 1-19 to 829XB707			10/1/17	3	3	4	4	4	16	
3258	Dry			LA (L)	1.2	1	33590	Due 5-28 to 829XB707			1/1/19	3	3	3	4	4	18	🐄Horns
3569	3/1/23				400	4	39853		1HO10644	7HO8747	3/28/17	3	3	3	4	4	16	
4518	8/9/22	60	5	4.1	54	2	21760	Due 9-29 to 829XB715			1/1/19	3	3	4	3	4	13	🐄
5054	Dry			LA (L)	3.3	2	26778	Due 3-28 to 829XB707			11/1/19	3	3	4	3	3	13	🐄
5060	7/26/22	142	3	3	22	2	49590	Due 9-20 to 829XB715			1/11/20	4	3	4	3	2	14	🐄☆☆☆☆☆
5105	7/8/22	120	4.8	3.2	14	2	37262	Due 6-8 to 829XB707			2/20/19	4	3	3	3	2	13	🐄🐄🐄NFT-FRT
8837	11/8/22	109	4	3.1	76	2	35022	Bred 3-16 to 829XB718			10/26/19	4	3	4	3	3	14	🐄4☆☆Udder
9219	Dry			LA (L)	1.4	3	35145	Due 4-3 to 829XB920	29HO16220		12/1/17	3	3	3	3	4	16	🐄
9242	1/4/23	106	3.8	3.1	13	3	30457				11/1/17	3	3	3	4	3	15	🐄
10248	12/16/22	84	4.8	3.3	13	4	21528	Bred 3-1 to 829XB718	501JE889	523JE927	8/27/17	3	3	3	3	3	9	J 🐄 WartRR, limp
10300	1/15/23	62	2.3	3.4	13	4	24824		501JE919	507JE1000	9/18/17	4	2	3	3	3	10	J 4☆☆Udder
10466	12/4/22	60	3.7	3.3	18	4	19565	Bred 2-17 to 829XB718	551JE1658	29JE3945	11/5/17	3	3	3	3	2	10	J Deep Udder
10574	Dry			LA (L)	0.9	3	24192	Due 4-13 to 829XB709	614JE704	7JE1403	12/5/17	5	3	3	3	3	11	J 🐄☆☆☆☆☆
10697	Dry			LA (L)	5	3	22339	Due 3-23 to 829XB707	614JE673	14JE635	1/25/18	3	3	3	3	5	12	J 🐄🐄🐄High SCC
11435	1/1/23	92	4.7	3.3	19	3	21603	Bred 3-17 to 829XB718	614JE652	163	11/1/18	3	3	3	3	4	11	J 🐄 3/4 LR
11474	Dry			LA (L)	1.3	2	22596	Due 4-17 to 829XB709	614JE673	29JE3870	11/11/18	4	3	4	3	4	12	J 🐄4☆☆Udder
11516	Dry			LA (L)	4.8	2	20870	Due 4-20 to 829XB709	501JE892	11JE1140	11/21/18	4	3	3	3	4	11	J 🐄🐄🐄High SCC

95# 2X

901k SCC

The Working Kind, Since 1909 !!