



KDD Miller **Farms, LLC**

ONLINE Complete Herd Dispersal

8-19-26 | www.kreegerdairy.com | Doylestown, OH



KDD Miller Farms, LLC

ONLINE Complete Herd Dispersal

8-19-26 12-1 PM ET

Bid Online or On The Phone

www.kreegerdairy.com

Load Out 8-20-26 @ The Farm

14501 Calaboone Rd Doylestown, OH

There will be a link to click on the auction page to enter the sale site to View The Videos and Information for Each Lot, Register for The Sale, Bid, & or Watch. The Sale opens for bidding at 12PM and begins closing at 1PM, but the site is available to view the videos and information ahead of the sale.

Sale Coordinator

Clay Papoi 517-526-1917

Sale Team

Chad Kreeger 517-294-3484

Paul Warner 517-231-8427

Brian Landis 574-536-5026

Shaun Hyde 989-287-2660

David Bennett 989-286-7244

Dave Whelen 517-403-7219

Joe Sparrow 270-670-4178

Please contact any member of the sale team to place bids on the phone or with questions on the cattle or the sale process.

Terms: Payment by Good Check or Wire before loading.

No Buyers Premium | Trucking Available

Herringbone Parlor, Sand Stalls, Headlocks

Vaccinated | 100% AI Sired & Bred - COBA Mated Herd

Kreeger
and Associates, LLC

Box 42 Cass City, MI 48726
chadkreeger@hotmail.com
517-294-3484

KDD Miller Farms, LLC
Dale & Keith Miller

14501 Calaboone Rd Doylestown, OH
Dale 330-606-7281 | Neil 330-812-8593

Terms & Conditions

Bidding & Sale Process: The Sale will be conducted in an internet auction format. You can bid online or any member of the sale team can bid for you or have you on the phone during the sale. The Sale begins closing at 12:00 PM, Each Minute one lot closes in lot order. The system does have a bid extension and the lot will close when one minute passes without any increased bids on that lot. The sale will continue to close in order, even if there is overtime bidding on one or multiple lots. When the lot closes the high bid will be the buyer

All Lots sell with 100% Buyer satisfaction

If the buyer does not like the cattle after viewing them prior to loading at the sellers farm, they do not have to take ownership of them, however once they are loaded and leave the sellers farm they are sold on an "As Is" basis with no warranty, expressed or implied and are the property of the buyer. For lots listed as "Sort At Loading" - we will sort any off that need to be, therefore the head count may vary. Lots will sell by the head multiplied by the number of head in each specific lot for the total lot price. If other selling terms are used on a lot it will be listed on that lot description, Example: Selling by the pound multiplied by the total weight of the lot weighed on the truck.

Payment Terms

All cattle must be paid for in full before they are loaded.

Payment must be made in good check or wire transfer to Kreeger and Associates, LLC. The buyer will be invoiced for the full amount. Kreeger and Associates will hold the funds until the cattle are loaded. If any difference after loading the balance will be refunded. All bids are in US funds.

Trucking Details: Kreeger and Associates, LLC will assist with load outs and handle arrangements for the trucks.

Health Warranty: Proper health certificates will be provided when required any additional testing cost will be the responsibility of the buyer. The results of any future health test is not guaranteed. No animal is warranted to be free of Johnes or any other infectious disease. For animals that travel outside of the state of origin the buyer will be responsible for the legal importation of cattle into that state, please check prior to the sale.

Errors: The material printed in this catalog has been carefully edited. If any errors or omissions are discovered, they will be posted a www.kreegerdairy.com and changed in the auction system. Such announcements take precedence over printed material. This information is provided by the owners and DHIA Records and is believed to be correct, however, it is not guaranteed. This sale will be controlled by an auction program. Kreeger and Associates, LLC is not responsible for malfunction or system errors which cause a bid or bidder to fail to be recognized or registered. Some of the animals shown in a lot video may have been moved to a different lot allowing for truck load capacity and reproductive status.

General: It is the intention of the owners and the sale management to represent and present these animals in their present condition, however No adjustments will be made after the animal's leave the sellers farm. Females announced as pregnant were found to be pregnant by a licensed veterinarian. No guarantee is made or implied that the pregnancy will go full term. Cattle that are sold with a natural service date are as accurate as possible, although they are not guaranteed to be exact.

Disclaimer: Any person bidding on items in the auction agrees to these terms and conditions and understands that, by bidding, they are entering into a legal binding contract between themselves and the seller(s) and that they will be held financially responsible for their actions. This includes those people representing parties not present at the sale. Neither the owners, auctioneers, sale manager nor other affiliated personnel may be held responsible for any accidents that may occur. Kreeger and Associates, LLC acts only as an agent between buyer and seller and may not be held responsible for any livestock or merchandise. It is to be clearly understood that Kreeger and Associates, LLC and its representatives act only as a medium between buyer and seller, and may not be held liable, financially or otherwise, for any failure in any obligations set forth in this sale.

ECM Avg

5 Udd

Internet Designation Score (IDS)

This is just one persons opinion to help describe each cow. The higher the number the better she is, with 3 being an average good looking & working functional cow.

(U) Udder 1- 5 | (F) Feet 1- 5 | (L) Legs 1- 5 | (S) Stature 1- 5
 (B) Body Condition 1 Thin - 5 Fat | (W) Weight Estimate

5 STAR- This is based on there (IDS) and production and reproduction information.
 A Five Star best combines it all! 4 STAR- Almost a 5, but not quite!

Gold Star
 Herd

Gold Star
 Grower

Reputation
 Grower

Genetic
 Focused

Legendary
 Herd

Operational Designations

Gold Star- Well Managed Highly Productive Operation, Checks All The Boxes
 Reputation- Goldstar Grower, But Doesn't Breed AI
 Genetic Focused- Genomic Tested or Prioritizes Genetics In The Day To Day Operations
 Legendary- Herds that we have worked with for generations

Color Codes

B Team - Blemish or Issue
 Flag - Blemish Groups Read Comments
 Green- Good To Go
 Yellow- Slight Blemish, usually not a big issue
 Red- Blemish , Red Comments

Individual

5 ★ **4** ★
 5 Star 4 Star

5 ★ **4** ★
 5 Star Udder 4 Star Udder

1st **2nd**
 1st Lact 2nd Lact

Dry **FR**
 Dry Fresh

PG **S/O**
 Pregnant Service/Open

100# **SERV**
 100# Milk Serviced

Slight NFT **Slight Limp** **Slight SCC**
 Needs Feet Limp Somatic Cell Count

3/4 **3/4 LR** **3/4 LF** **3/4 RR** **3/4 RF** **DU** **NFT** **Walk** **Limp** **Lame** **Horn** **SCC**
 3 Quartered 3/4 Left Rear 3/4 Left Front 3/4 Right Rear 3/4 Right Front Deep Udder Needs Feet Trim Abnormal Walk Walks With Limp Lame on a foot Horns High SCC

Group

5 ★ **4** ★ **1st** **2nd**
 5 Star Avg 4 Star Avg 1st Lact 2nd Lact

FR **PG** **O** **SERV**
 Fresh Preg Open Serviced

HerringBone **Para** **Robot** **Ro**
 Herringbone Parallel Robotic Rotary

Flat **3X** **2X** **COMBO L**
 Flat Barn Milked 3X Milked 2X Mixed Lact

AI **Bred** **♀** **B\$**
 AI Bred Bred Sexed Bred Beef

AI **G** **P**
 AI Sired Genomic NMS Parent NMS

WRT **WFT** **IMB** **RT** **COMBO R** **D2** **EXP** **AI** **♀** **B\$**
 Wide Rear Test Wide Front Test Imbalanced Reverse Tilt Mixed Repro Dairy Direct Exposed To Bull AI Bred Bred Sexed Bred Beef

LLR **LLF** **LRF** **LRR** **CVH** **V** **#** **AI** **G** **P**
 Light Left Rear Light Left Front Light Right Front Light Right Rear Complete Vac Vaccinated Sell By The Pound AI Sired Genomic NMS Parent NMS

LRR **LLR** **LLF** **LRF** **WRT** **WFT** **RT** **WT** **IMB**
 Light Right Rear Light Left Rear Light Left Front Light Right Front Wide Rear Test Wide Front Test Reverse Tilt Wide Tests Imbalanced

1	7 Fresh 1st Lact Heifers Fresh 6-10 to 7-23															
	Avg	90	4.1	2.4	27	1			Avg	4	4	4	3	2	13	
	ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT
584	6/10	80	3.3	2.4	39	1				5	4	4	2	2	12	5 ★ Udder, NFT
586	6/27	85	4.3	2.4	8	1				4	3	3	3	2	12	4 ★ Udder
587	7/23					1				3	4	4	3	2	14	
626	7/23					1				4	4	4	2	2	12	4 ★ Udder
665	6/30	104	4.6	2.5	35	1				4	4	4	3	3	14	4 ★ Udder
669	7/27					1				4	3	4	3	3	13	4 ★ Udder
802	7/21					1				4	4	4	3	3	12	4 ★ Udder

2	8 Close Up Heifers Most Will Be Fresh															14	
	ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC		WT
	585							8/23	14H15460	725						16	
	589	8/11								647						15	
	609							8/17	7H17238	678						15	
	633	8/5								546						14	
	634	8/10								179						14	
	677	8/9								592						14	
	810							8/26	614H15582	592						13	
	811							8/12	614H15582	592						14	

3	7 Fresh 2nd Lact Cows Fresh 5-28 to 7-20															
	Avg	117	4.1	3.0	93	2			Avg	4	4	4	4	3	16	
	ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT
533	6/22	158	3.9	2.8	13	2				4	4	4	4	3	16	4★Udder
552	5/28	106	4.2	3.1	6	2				4	3	3	4	2	16	4★Udder
559	7/18	94	4.5	3.3	10	2				4	4	4	4	2	16	4★Udder
562	7/20	118	3.5	3.3	277	2				4	4	4	4	4	20	4★Udder
612	6/2	104	4.1	3.2	10	2				4	4	4	3	3	16	4★Udder
765	6/4	118	4.7	2.7	259	2				3	3	3	4	2	15	
773	6/28	122	3.7	2.7	73	2				3	4	4	3	2	14	

4A	4 Fresh 3rd/4th Lact Cows Fresh 6-2 to 6-15																
	Avg	123	4.2	2.8	95	3			Avg	4	3	4	4	2	16		
	ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT	Comment
	504	6/2	122	4.3	3.3	9	3				4	4	3	3	2	16	4★Udder
	719	6/24	127	4.9	2.8	89	4				4	4	4	4	3	17	4★Udder
759	6/6	151	3.4	2.3	21	3				4	3	4	4	2	16	4★Udder	
763	6/15	92	4.3	2.8	259	3				3	2	3	4	2	15		

4B	3 Fresh 3rd Lact Cows Fresh 8-2 to 8-9															
	3							Avg	3	4	4	4	3	17		
	ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT
722	8/2					3				3	4	4	4	4	19	Big teat
654	8/2					3				3	3	4	3	3	15	WT
753	8/9					3	8/15	7H15632	344	3	4	4	4	2	16	

5	3 Preg 1st Lact Heifers Due 2-14 to 3-24																
	Avg	78	4.5	3.0	30	1			Avg	4	3	4	3	2	14		
	ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT	Comment
	590	4/9	73	4.8	2.7	52	1	3/15	7H16520	666	4	3	4	3	2	14	4★Udder
	603	1/4	82	4.3	3.2	29	1	2/14	7H17220	894	4	3	4	3	2	14	4★Udder, NFT
675		80	4.5	3.2	9	1	3/24	250H16691	790	5	4	4	3	2	14	5★Udder	

65 Fresh 1st Lact Heifers Fresh 6-9 to 7-5																
ID	Avg Fresh	51 Milk	4.1 Fat	2.7 Pro	80 SCC	1 Lact	Due	ServSire	Avg ssNM\$	4 U	4 F	4 L	2 ST	2 BC	12 WT	Comment
583	7/5	49	2.4	2.6	10	1				4	4	4	3	2	12	4★Udder
666	6/17	31	4.7	2.5	32	1				4	4	4	2	2	13	4★Udder
627	6/17	68	4.1	2.7	26	1				4	4	3	3	2	12	4★Udder
599	6/10	56	4.8	2.6	324	1				4	3	4	2	2	12	4★Udder
536	6/9	49	4.8	3.1	8	1				5	4	4	2	2	12	5★Udder
74 Preg 1st Lact Heifers Due 10-25 to 12-19																
ID	Avg Fresh	69 Milk	4.1 Fat	2.5 Pro	27 SCC	1 Lact	Due	ServSire	Avg ssNM\$	4 U	4 F	4 L	3 ST	2 BC	14 WT	Comment
566		78	5.4	3.3	21	1	12/19	7H17045	826	4	4	4	4	2	16	4★Udder
617		73	5.0	3.3	6	1	11/17	7H16179	647	4	4	4	3	2	14	4★Udder
651		59	5.1	3.1	46	1	11/9	7H16179	647	4	3	4	3	2	14	4★Udder
664		64	5.2	3.0	35	1	10/25	7H16520	666	5	4	4	3	3	13	5★Udder
85 Serviced 1st Lact Heifers																
ID	Avg Fresh	71 Milk	4.6 Fat	2.9 Pro	72 SCC	1 Lact	Bred	ServSire	Avg ssNM\$	4 U	4 F	4 L	3 ST	2 BC	13 WT	Comment
543		59	5.0	3.4	20	1	7/5	7H17682	968	4	3	3	4	2	15	4★Udder, NFT
577	4/24	89	3.6	2.8	91	1	7/10	7H017199	913	5	4	4	3	2	13	5★Udder
594	4/16	80	4.2	2.9	18	1	7/14	7H017199	913	4	4	4	3	2	14	4★Udder
629		64	4.5	2.4	223	1	6/17			4	4	3	2	2	12	4★Udder
631	5/2	61	5.6	3.1	6	1	7/3	7H017199	913	5	4	4	3	2	13	5★Udder
94 1st Lact Heifers																
ID	Avg Fresh	86 Milk	3.3 Fat	2.2 Pro	37 SCC	1 Lact	Due	ServSire	Avg ssNM\$	5 U	4 F	4 L	3 ST	2 BC	13 WT	Comment
530		78	4.5	2.6	13	1				5	4	4	3	2	12	NFT
581	3/6	80	4.0	2.9	13	1				4	4	3	3	2	13	4★Udder
588	5/21	94	3.8	2.5	112	1				4	3	4	3	2	13	4★Udder
593	5/12	92	4.3	2.9	8	1				5	4	4	2	2	13	5★Udder
105 Fresh/Preg 1st Lact Heifers (B TEAM) Fresh 5-12 to 7-13																
ID	Avg Fresh	73 Milk	4.5 Fat	2.9 Pro	127 SCC	1 Lact	Due	ServSire	Avg ssNM\$	4 U	4 F	4 L	4 ST	3 BC	16 WT	Comment
575	7/2	68	3.8	2.9	53	1				3	3	4	3	2	13	LLR
663		64	5.6	3.5	437	1	2/22	7H17045	826	5	4	4	3	2	13	5★Udder, SCC
591	7/13					1				3	3	4	3	2	14	Condition
596	5/12	61	4.5	2.7	15	1				4	2	2	2	2	11	4★Udder, Bad legs
611	6/6	99	4.0	2.5	3	1				3	2	2	3	2	13	SL-LR
113 Dry 1st Lact Heifers Due 8-20 to 8-31																
ID	Fresh	Milk	Fat	Pro	SCC	1 Lact	Due	ServSire	Avg ssNM\$	4 U	4 F	4 L	4 ST	2 BC	15 WT	Comment
769	Dry					1	8/20	7H15632	344	4	4	4	4	3	16	4★Udder
655	Dry					1	8/26	7H16688	479	5	4	3	3	2	14	5★Udder
673	Dry					1	8/31	7H16179	647	4	4	4	4	2	15	4★Udder
123 Dry 2nd Lact Cows Due 8-26 to 8-29																
ID	Fresh	0 Milk	0.0 Fat	0.0 Pro	0 SCC	2 Lact	Due	ServSire	Avg ssNM\$	3 U	4 F	4 L	4 ST	2 BC	17 WT	Comment
528	Dry					2	8/26	7H16688	479	4	4	4	4	2	17	
534	Dry					2	8/28	7H16688	479	3	3	4	5	3	17	
525	Dry					2	8/29	7H16688	479	3	4	4	4	2	16	Scur

134 Dry 2nd Lact Cows Due 9-5 to 10-8																
		0	0.0	0.0	0	2			Avg	4	4	4	4	3	16	
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT	Comment
757	Dry					2	9/5	7H16688	479	5	4	4	4	2	15	5★Udder
544	Dry					2	9/20	7H16688	479	3	4	4	4	3	18	WT
558	Dry					2	10/5	7H16570	713	4	3	3	3	2	15	4★Udder
608	Dry					2	10/8	7H16520	666	4	4	4	3	3	15	4★Udder
142 Dry / 1 Springer (B TEAM - 3/4 Cows) Due 8-19 to 9-23																
						1			Avg	2	2	2	3	2	11	
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT	Comment
656	Dry					1	9/23	7H14320	506	4	4	4	4	3	15	3/4 Cow
307	Dry					2	8/19	7H15632	344	2	3	3	4	4	17	3/4 Cow
592	Springer						9/12	7H16688	479						1500	Udder
155 Preg 2nd Lact Cows Due 2-1 to 3-25																
		Avg	91	4.4	3.2	36	2			Avg	4	4	4	4	2	15
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT	Comment
569	2/28	94	5.3	3.3	23	2	2/14	7H17045	826	4	3	4	4	3	16	4★Udder
576	2/9	80	4.7	3.3	25	2	2/1	7H17220	894	5	4	4	3	2	14	5★Udder
579	3/10	82	4.5	3.4	15	2	3/2	7H017199	913	4	4	3	3	2	13	4★Udder
605	3/22	92	3.8	3.0	65	2	3/25	7H17045	826	4	4	4	4	2	15	4★Udder
772	3/21	108	3.8	3.1	52	2	3/15	7H16520	666	5	3	4	4	2	15	5★Udder
165 Preg 2nd Lact Cows Due 11-14 to 12-18																
		Avg	74	4.4	3.3	17	2			Avg	4	4	3	4	3	15
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT	Comment
19		78	4.1	3.5	34	2	12/9	7H16520	666	4	4	3	4	3	16	4★Udder
601		75	4.9	3.2	22	2	12/18	7H16520	666	4	3	4	4	3	16	4★Udder
613		73	4.9	3.8	9	2	11/26	7H17220	894	4	4	3	4	3	15	4★Udder
625	1/6	73	5.2	3.2	11	2	12/14	7H16520	666	4	4	4	3	2	16	4★Udder
653		73	3.1	2.7	7	2	11/14	7H16520	666	3	4	3	3	2	13	
173 Preg 2nd Lact Cows Due 1-2 to 1-23																
		Avg	64	5.0	3.2	74	2			Avg	4	4	4	4	3	16
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT	Comment
512		64	4.1	3.2	118	2	1/2	7H17045	826	5	4	4	4	3	16	5★Udder
560	1/22	59	5.7	3.5	93	2	1/15	7H17045	826	4	4	4	4	4	18	4★Udder
619	1/21	68	5.3	3.0	11	2	1/23	7H17045	826	4	4	4	3	2	13	4★Udder
184 Serviced 2nd Lact Cows																
		Avg	83	3.5	2.4	12	2			Avg	4	4	4	4	3	15
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Bred	ServSire	ssNM\$	U	F	L	ST	BC	WT	Comment
540	2/23	113	4.6	3.0	4	2	7/7	7H17199	913	4	3	4	4	3	17	4★Udder
614	4/16	66	4.0	2.7	4	2	7/3	7H17682	968	5	4	3	3	2	13	5★Udder
618	4/5	78	4.6	3.0	10	2	7/10	7H017199	913	4	3	4	4	2	16	4★Udder
624	4/23	75	4.3	3.1	31	2	7/7	7H017199	913	4	4	4	3	3	15	4★Udder
194 Serviced / Preg 2nd Lact Cows (B TEAM)																
		Avg	71	4.9	3.3	22	2			Avg	4	3	3	4	2	14
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Repro	ServSire	ssNM\$	U	F	L	ST	BC	WT	Comment
26		87	4.9	3.2	31	2	D: 12-14	7H16520	666	3	3	4	4	2	15	NFT LLR
548		82	4.7	3.2	12	2	B: 7/16	250H16691	790	4	3	4	4	3	16	4★Udder, Toes Out
620	4/24					2	B: 6/26	7H017199	913	3	4	3	4	2	15	SL-LR
662	3/5	45	5.3	3.6	24	1	B: 7-9	7H017199	913	4	2	2	2	2	11	4★Udr, Strait Legs, Limp-RF

206 Preg 3rd & 4th Lact Cows																	
Avg		96	4.4	3.2	8	3				Avg	4	4	4	4	2	16	Comment
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT		
482		96	3.9	3.2	9	3	2/11	7H17045	826	3	3	3	4	2	16		
487	1/4	106	3.7	2.9	7	4	1/25	7H16520	666	4	3	4	4	3	18	4★Udder	
555		94	5.0	3.4	10	4	12/3	7H16520	666	4	4	4	4	2	15	4★Udder	
567		73	5.0	3.4	5	3	11/2	7H16179	647	4	4	3	4	2	16	4★Udder	
754	3/6	125	4.0	2.5	4	3	3/18	7H16520	666	5	4	4	4	2	16	5★Udder	
761		82	4.6	3.5	14	3	3/19	7H17045	826	4	4	3	4	3	17	4★Udder	
213 3rd Lact Cows																	
Avg		93	4.5	3.0	38	3				Avg	3	3	3	4	3	16	Comment
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Bred	ServSire	ssNM\$	U	F	L	ST	BC	WT		
508	2/7	87	4.3	2.8	93	3				3	3	4	4	2	16		
527	3/24	94	5.4	3.2	12	3				4	2	3	4	3	15	4★Udder, NFT	
549	2/14	99	3.9	3.0	10	3				3	4	3	4	3	17		
225 4th Lact Cows																	
Avg		94	4.5	3.1	228	4				Avg	3	3	3	4	2	16	Comment
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Bred	ServSire	ssNM\$	U	F	L	ST	BC	WT		
353		75	4.0	2.7	141	4				3	3	3	4	2	16	NFT	
507		94	4.8	3.4	311	4	7/17	250H16691	790	3	3	3	4	3	18		
513		101	4.6	3.2	71	4	7/10	7H17199	913	4	3	4	4	2	15	4★Udder	
541	5/22	106	4.7	2.9	591	3				4	3	4	3	2	16	4★Udder, NFT	
622	1/22	92	4.6	3.4	24	4				2	3	3	4	2	15		
237 Preg Cows (B TEAM- 3/4 Cows) 1st-3rd Lacts Due 12-9 to 3-8																	
Avg		83	4.3	3.3	52	2				Avg	3	3	4	3	2	15	Comment
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT		
488	1/5	96	3.9	3.0	4	3	2/26	7H17220	894	3	3	4	4	3	17	3/4-RF Scur	
561		80	4.1	3.5	20	2	12/9	7H16520	666	3	3	4	3	3	11	3/4 LR	
616	3/8	82	3.6	3.0	123	3	2/11	7H17045	826	3	3	4	3	2	14	3/4 LR	
623		78	4.6	3.4	86	3	1/7	250H16074	582	3	4	3	4	2	16	3/4-RF	
652		80	4.9	3.4	14	2	3/8	7H16520	666	3	3	3	3	2	13	3/4 RF	
660	2/11	64	4.5	3.4	86	1	1/30	7H16276	1080	3	3	4	2	2	13	3/4 LF	
760		99	4.7	3.4	31	2	3/25	7H17045	826	3	4	3	4	3	18	3/4 LR	
242 Fresh 2nd & 3rd Lact Cows (B TEAM - 3/4 Cows)																	
Avg		107	4.1	2.9	238	3				Avg	3	4	4	4	2	15	Comment
ID	Fresh	Milk	Fat	Pro	SCC	Lact	Due	ServSire	ssNM\$	U	F	L	ST	BC	WT		
546	6/4	127	4.1	2.8	449	3				3	4	4	4	2	15	3/4 LR	
606	5/31	87	4.2	3.1	27	2				3	4	4	4	2	15	3/4-LF	
1017 Preg Heifers Due 9-4 to 10-31 (2 SEXED) Medium Flesh, Est Weight 1100#-1400#																	
ID							Due	ServSire	ssNM\$								
635							9/13	7H16688	479								
801							9/29	7H16570	713								
803							9/4	614H17156	655								
808							10/15	7H16179	647								
812							10/31	7H16179	647								
813							9/12	7H16688	479								
817							10/18	550H15958	179								
1026 Preg Heifers Due 12-7 to 12-30 (All SEXED) Medium Flesh, Est Weight 850#-1100#																	
ID							Due	ServSire	ssNM\$								
678							12/26	507H17230	908								
680							12/24	507H17002	630								
683							12/7	507H17238	678								
686							12/30	507H16520	666								
700							12/27	507H17002	630								
805							12/20	614H16630	546								

103 4 Preg Heifers | Due 1-4 to 1-23 (All SEXED) | Medium Flesh, Est Weight 850#-1000#

ID							Due	ServSire	ssNM\$							Comment
676							1/17	507H16520	666							
684							1/13	614H16630	546							
685							1/23	507H17238	678							Warts
694							1/4	614H16630	546							

104 6 Preg Heifers | Due 2-7 to 3-23 (4 SEXED) | Medium Flesh, Est Weight 850#-1000#

ID							Due	ServSire	ssNM\$							Comment
681							2/16	550H16691	790							
682							2/17	250H16691	790							
689							2/7	7H17199	913							
693							3/12	7H17199	913							Warts
699							2/24	507H17199	913							
820							3/23	550H016691	790							

105 6 Serv/Open Heifers (Breeding Group) | Medium Flesh, Est Weight 750#-1000#

ID							Bred	ServSire	ssNM\$	SireCode	sNM\$				Comment
688							7/8	550H016691	790	7H15112	491				
692							7/30	250H16691	790						
814										7H15807	349				
818										7H15807	349				
819										7H15807	349				
821							6/30	507H17238	678	7H15712	408				

106 13 Open Heifers | Medium Flesh, Est Weight 600#-700#

ID								SireCode	sNM\$							Comment
535								7H16126	769							
701								14H7770	313							
702								507H15927	771							
703								507H15927	771							
704								507H15923	723							
707								14H15865	411							
709								507H15929	272							
711								7H15927	771							
736								14H16502	671							
780								250H16074	582							
822								7H15112	491							
823								7H15112	491							
824								7H15427	-15							

107 10 Open Heifers | Medium Flesh, Est Weight 450#-550#

ID								SireCode	sNM\$							Comment
696								250H16074	582							
708																
712								7H16176	542							
713								14H15460	725							
715								7H15112	491							
717								7H16176	542							
718																
735								7H15927	771							
737								14H16502	671							
781								507H15929	272							

108 4 Open Heifers | Medium Flesh, Est Weight 300#-350#

ID								SireCode	sNM\$							Comment
730								7H17159	675							
731								7H17238	678							
732								7H15112	491							
733								7H17238	678							

109 5 Open Heifers | Medium Light Flesh, Est Weight 225#-250#

ID								SireCode	sNM\$								Comment
738								567H16176	542								
739								507H16688	479								
740								7H16954	372								
741								7H15112	491								
657								7H17238	678								

110 6 Open Heifers | Medium Light Flesh, Est Weight 200#-225#

ID								SireCode	sNM\$								Comment
723								7H15927	771								
725								7H16263	647								
726								7H14804	231								
728								14H15460	725								
729								14H15460	725								
778								14H15460	725								

111 5 Open Heifers | Light Flesh, Est Weight 180#-200#

ID								SireCode	sNM\$								Comment
724								14H15460	725								
727								14H15460	725								
734								7H14804	231								
776								7H17159	675								
777																	

112 3 Open Heifers | Medium Flesh, Est Weight 200#-225#

ID								SireCode	sNM\$								Comment
639								507H16688	479								
745								7H17238	678								
833								507H16520	666								

113 8 Heifer Calves | Approx 30+ Days Old

ID								SireCode	sNM\$								Comment
743								14H15201	570								
744								7H17720	721								
749								7H17720	721								
782								614H17156	655								
827								7H16520	666								
828								614H17156	655								
830								50716570	713								
834								614H17156	655								

114 9 Heifer Calves | Approx Under 30 Days Old

ID								SireCode	sNM\$								Comment
747								550H15958	179								
779								7H17238	678								
783																	
785								614H17156	655								
786								7H16179	647								
787								7H16570	713								
829								507H16570	713								
831								7H16520	666								
832								7H16520	666								